

BALDOR® • RELIANCE

Product Information Packet

GCP3305

OUTPUTHP,1700RPM,1PH,60HZ,PSLH,3316C,TEN

Part Detail							
Revision:	V	Status:	PRD/A	Change #:		Proprietary:	No
Type:	AC	Prod. Type:	3316C	Elec. Spec:	33WGW200	CD Diagram:	CD0014A03
Enclosure:	TENV	Mfg Plant:		Mech. Spec:		Layout:	33E604W200K1
Frame:	PSLH	Mounting:		Poles:	04	Created Date:	02-28-2006
Base:		Rotation:	R	Insulation:	B	Eff. Date:	05-09-2016
Leads:	4#18					Replaced By:	
Literature:		Elec. Diagram:					

Nameplate NP1220A07


CAT.NO.	GCP3305									
SER.NO										
SPEC.	33E604W200K1									
HP	1/6	TE								
VOLTS	115									
AMP	2.1									
HZ	60					PH	1			
AMB.	40					DUTY	CONT			
CAP	20					CODE	-			
SER.F.	1.00						CLASS	B		
R.P.M.	56.6									
TORQ/IN LB	164									
RATIO	30:1									
APRV-CSA							APRV-UL			


Parts List		
Part Number	Description	Quantity
SA145970	SA 33E604W200K1	1.000 EA
RA135079	RA 33E604W200K1	1.000 EA
OC3020F12	CYL OIL CAP 20MFD/370V	1.000 EA
BMH1714	WASHER,PREC 1.259"X.756"X.010"	2.000 EA
HW5002A95	N5002-125 32MM BEVELED INTERNAL RET RING	1.000 EA
HW3064E05	1/8 X 1/2 PIN DRIVE LOK TYPE H	1.000 EA
HW4600G58	SEAL,10X20X4MM PGS 25002184 VITON VT802	1.000 EA
HA4021A05	1/16 NPSF-HX SOC PIPE PLUG TAPER DRY SEA	1.000 EA
33CB4800A01	CAPACITOR COVER, STAMPED	1.000 EA
35GS3003A01	GASKET, CAPACITOR COVER	1.000 EA
34GS5003	FOAM SLEEVE, ID = 2 1/16" X 3 3/8"	1.000 EA
51XB1016A05	10-16X5/16HX WA SL SR TYB (F/S)	2.000 EA
34CB3002A16	CB W/.50 N.P.T. @ 6	1.000 EA
34GS1029A01	GASKET, CONDUIT BOX	1.000 EA
51XB1016A07	10-16 X 7/16 HXWSSLD SERTYB	2.000 EA
11XW1032G06	10-32 X .38, TAPTITE II, HEX WSHR SLTD U	1.000 EA
34CB4517	CB LID 4 MTG HOLES .22 DIA STAMPED, FOR	1.000 EA
34GS1031A01	GASKET, FLAT CONDUIT BOX LID (LEXIDE)	1.000 EA
51XW0832A07	8-32 X .44, TAPTITE II, HEX WSHR SLTD SE	4.000 EA
33EP3100A04	EP,33AC ODE 6203 .170 DRAIN HOLE @ 6:00	1.000 EA
HW5109A05	WASHER, WAVE SPRING FOR 40MM BORE SMALLE	1.000 EA
HA3100A39	THRUBOLT 10-32 X 6.375	2.000 EA
HW1003A10	WASHER, #10 EX TH LK, ZN X	2.000 EA
BGS01238	SHAFT,ASSY PSLH LONG INT1 3RED 2.0/5.0	1.000 EA

Parts List (continued)		
Part Number	Description	Quantity
BGS01239	SHAFT,ASSY PSLH LONG INT2 3RED 3.0/2.0	1.000 EA
BGS01219	SHAFT,ASSY PSLH LONG OUTP 3RED 0.0/3.0	1.000 EA
CG0012A01BG	CAP, PSL GEAR HEAD	1.000 EA
RM1020A22	O-RING .070 X 4.527	1.000 EA
HW4600G71	SEAL, .750 X 1.250 X .250 SGL LIP FT802	1.000 EA
BH1163A03	SCE1212 INA NEEDLE ROLLER BBG1027	1.000 EA
60XM2520A12	SCREW,PAN TORX 1/4-20X.750 THREAD FORMIN	4.000 EA
MJ1000B02	KLUB. GH6-460 GEAR OIL 1 GALLON	0.030 GA
BMH1910	KEY 3/16X3/16X1 1/8 AUTO X	1.000 EA
ME4000	.375-.75" DIA.#SW-04 WOVEN SHAFT PROTECT	0.167 FT
MG1000G27	S-9282E MED CHARCOAL METALLIC GREY	0.030 GA
NP1220A07	NP,AC STD AD NONE V CSA UL GEAR MOTOR	1.000 EA
CPA1001	PACKING GROUP OVERSIZED SINGLE	1.000 EA
LC0899A55	CON. LABEL,AC 4 LEAD (LC0017 NO THERMAL)	1.000 EA
HG0076A01B	HSG,PSL EP 33AC LONG HOUSING	1.000 EA


Accessories		
Part Number	Description	Multiplier
LB75	BASE, L BRACKET 34 FRAME PSL KIT BLACK	A8

No performance data has been
assigned to this product.





ITEM NO.	PART NUMBER	QTY.
1	HG0076A01	1
2	BMH1714	2
3	BH1165A02	1
4	HW5002A95	1
5	HW3064E05	1
6	HW4600G58	1
7	BH1163A02	1
8	HA4021A05	1
9	33SH2668R01	1
10	33RC4116-00	1
11	BG6203C03	1
12	33SA9200R155	1
13	35GS3003A01	1
14	33CB4800A01	1
15	OC3020F12	1
16	NS2501A01	1
17	51XB1016A05	2
18	NS2512A01	1
19	34GS1029A01	1
20	34CB3002A16	1
21	51XB1016A07	2
22	11XW1032G06	1
23	34GS1031A01	1
24	34CB4517	1
25	51XW0832A07	4
26	33EP3100A04	1
27	HW5109A05	1
28	HA3100A39	2
29	BGS01238	1
30	BGS01239	1
31	BGS01219	1
32	CG0012A01	1
33	RM1020A22	1
34	BH1163A03	1
35	HW4600G71	1
36	60XM2520A12	4
37	BMH1910	1
38	NP1220A07	1
39	LB1119	1
40	LC0899A57	1



33E604W200K1

33E604W200K1

CUSTOMER IS RESPONSIBLE FOR DETERMINING THAT BALDOR'S PRODUCT WILL PERFORM SUITABLY IN THE INTENDED APPLICATION

REV. DESC: LOAD TO SOLID WORKS			
REV: E	VERSION: 05	REVISED: 02:34:14 11/07/2016	TDR: 000001002359
33E604W200K1		MODEL NO. 33E604W200K1	REF:
		BY: CKPHIW0	

BALDOR

LY,33AC PSLH RSB TENV .75 X 2.00 EXTENSION

